

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 999c

SRM Name: Potassium Chloride Primary Standard (Dried at 500 °C)

Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for use as an analytical standard of known potassium (K) and chloride (Cl⁻) content. This lot of potassium chloride (KCl) was prepared to ensure a material of high purity and homogeneity and has been assayed after ignition at 500 °C. A unit of SRM 999c consists of a single glass bottle containing 30 g of the material.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 FAX: 301-948-3730 E-mail: SRMMSDS@nist.gov Website: http://www.nist.gov/srm Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1-703-527-3887 (International)

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified. Health Hazard: Not classified.

Label Elements
Symbol
No symbol
Signal Word

No signal word

Hazard Statement(s): Not applicable.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Potassium chloride

Other Designations: Potassium monochloride; chloropotassuril; potassium muriate; KCl

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Potassium chloride	7447-40-7	231-211-8	100

SRM 999c Page 1 of 5

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes. Thoroughly clean and dry contaminated clothing before reuse.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If a large amount is swallowed, get medical attention.

Most Important Symptoms/Effects, Acute and Delayed: May cause irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing agents appropriate for surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Collect spilled material in appropriate container for disposal.

7. HANDLING AND STORAGE

Safe Handling Precautions: Minimize dust generation. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handle in accordance with all current regulations and standards. Keep separated from incompatible substances (see Section 10, "Stability and Reactivity").

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits: No occupational exposure limits have been established. The exposure limits for Particulates Not Otherwise Regulated are applicable.

```
OSHA (PEL): 15 mg/m<sup>3</sup> (TWA, total particulates)
5 mg/m<sup>3</sup> (TWA, respirable particulates)
```

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

SRM 999c Page 2 of 5

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:				
Appearance (physical state, color, etc.):	colorless to white crystalline powder			
Molecular Formula:	KCl			
Molar Mass (g/mol):	74.55			
Odor:	odorless			
Odor threshold:	not available			
pH (solution):	5.4–8.6 (5 % solution)			
Evaporation rate:	not applicable			
Melting point/freezing point (°C):	770 (1292 °F)			
Density (g/mL):	1.984			
Vapor Pressure (mmHg):	not applicable			
Vapor Density (air = 1):	not applicable			
Viscosity (cP): Solubility(ies):	not applicable water soluble (23.8 % at 20 °C); soluble: glycerol, alkali solution; slightly soluble in ethanol;			
	insoluble: ether and acetone			
Partition coefficient (n-octanol/water):	not available			
Particle Size (if relevant)	not available			
Thermal Stability Properties:				
Autoignition Temperature (°C):	not applicable			
Thermal Decomposition (°C):	not available			
Initial boiling point and boiling range (°C):	not applicable			
Explosive Limits, LEL (Volume %):	not applicable			
Explosive Limits, UEL (Volume %):	not applicable			
Flash Point (°C)	not applicable			
Flammability (solid, gas):	not available			
10. STABILITY AND REACTIVITY				
Reactivity: Stable at normal temperatures and pressure	e.			
Stability: X Stable Unstable				
Possible Hazardous Reactions: None listed.				
Conditions to Avoid: None reported.				
Incompatible Materials: Acids, halogens, metals.				
Fire/Explosion Information: See Section 5, "Fire Fighting Measures".				
Hazardous Decomposition: Thermal decomposition will produce chlorine.				
Hazardous Polymerization: Will Occur X Will Not Occur				
11. TOXICOLOGICAL INFORMATION				
Route of Exposure: X Inhalation Skin Ingestion				
Symptoms Related to the Physical, Chemical and Toxicological Characteristics: May cause irritation.				

SRM 999c Page 3 of 5

Potential Health Effects (Acute, Chronic and Delayed):

Inhalation: May cause irritation.

Skin Contact: May cause slight irritation.

Eye Contact: May cause irritation. Concentrated solutions may cause a stinging sensation.

Ingestion: Ingestion of this material may cause gastrointestinal irritation with nausea, vomiting, epigastric

distress, abdominal discomfort and diarrhea.

Numerical Measures of Toxicity:

Acute Toxicity: Not classified. Rat, Oral LD50: 2600 mg/kg

Skin Corrosion/Irritation: Not classified.

Rare instances of skin rash have been reported with potassium preparations.

Serious Eye Damage/Irritation: Not classified; insufficient data available.

Rabbit, Eyes (mild): 500 mg (24 h)

Respiratory Sensitization: Not classified; no data available.

Skin Sensitization: Not classified; no data available.

Germ Cell Mutagenicity: Not classified; no data available.

Carcinogenicity: Not classified.

Listed as a Carcinogen/Potential Carcinogen Yes X No

Potassium chloride is not listed by IARC, NTP or OSHA as a carcinogen.

Reproductive Toxicity: Not classified; no data available.

Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.

Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available.

Aspiration Hazard: Not classified; no data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data:

Fish: bluegill (*Lepomis macrochirus*) LC50 (static): 1060 mg/L (96 h) Algae: freshwater green (*Desmodesmus subspicatus*) EC50: 2500 mg/L (72 h) Invertebrate: water flea (*Daphnia magna*) EC50 (static): 83 mg/L (48 h)

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

SRM 999c Page 4 of 5

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: No. CHRONIC HEALTH: No. FIRE: No. REACTIVE: No. PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 19 November 2015

Sources: ChemAdvisor, Inc., SDS *Potassium Chloride*, 22 September 2015.

Hazardous Substances Data Bank, National Library of Medicine, *Potassium Chloride* CAS# 7447-40-7, Full Record, available at http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?HSDB (accessed Nov 2015).

Center for Disease Control (CDC), NIOSH Pocket Guide to Chemical Hazards, *Particulates Not Otherwise Regulated*, 13 February 2015; available at http://www.cdc.gov/niosh/npg/npgd0480.html (accessed Nov 2015).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial	NIOSH	National Institute for Occupational Safety and
	Hygienists		Health
ALI	Annual Limit on Intake	NIST	National Institute of Standards and Technology
CAS	Chemical Abstracts Service	NRC	Nuclear Regulatory Commission
CEN	European Committee for Standardization	NTP	National Toxicology Program
CERCLA	Comprehensive Environmental Response,	OSHA	Occupational Safety and Health Administration
	Compensation, and Liability Act		
CFR	Code of Federal Regulations	PEL	Permissible Exposure Limit
CPSU	Coal Mine Dust Personal Sample Unit	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial	RQ	Reportable Quantity
	Chemical Substances		
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances
	Act		<i>3 7</i>
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Association	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
ISO	International Organization for Standardization	STEL	Short Term Exposure Limit
LC50	Lethal Concentration, 50 %	TDLo	Toxic Dose Low
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
MSHA	Mine Safety and Health Administration	UEL	Upper Explosive Limit
		WHMIS	Workplace Hazardous Materials Information System
			···

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 999c Page 5 of 5